

GF 300 BET

Esempio installazione in sostituzione timoneria meccanica
Example of installation to replace mechanical steering system




MERCURY
MerCruiser
A PRODUCT OF BRUNNEN
3.0
LITRE

SPECIFICATIONS	
Model	3.0
Year	2000
HP	30
Weight	110 lbs
Length	24 in
Width	18 in
Height	24 in
Stroke	1.5 in
Compression	10.5:1
Ignition	CDI
Valves	12
Oil Capacity	1.5 qt
Oil Type	SAE 10W-30
Oil Change Interval	100 hours

SERIAL NUMBERS	
Engine	
Propeller	
Lower Unit	
Upper Unit	

CAUTION
BLOCK
DRAIN

REPLACE OIL
SEE OWNER'S MANUAL



MERCURY
MerCruiser

A PRODUCT OF MERCURY MARINE
STILLWATER, OK, U.S.A.

3.0
LITRE

SPECIFICATIONS

MODEL..... MCM 3.0 LITRE
DISPLACEMENT..... 191 CID
CYL. FIRING ORDER..... 1-3-4-2
IGNITION TIMING..... 1° BTDC
SPECIAL IGNITION TIMING REQUIRED
SPARK PLUGS..... AC-MR42LTS
PLUG GAP..... 0.045
MAX. W.O.T. RPM..... 4400-4900
ENGINE ROTATION..... (LH) left hand


For fuel and oil requirements refer
to Operations & Maintenance Manual

CERTIFIED SAE J1925

SERIAL NUMBERS

ENGINE SERIAL NUMBER
TRANSOM SERIAL NUMBER
DRIVE SERIAL NUMBER

EXHAUST
MANIFOLD
Dr







SAE J1171
MARINE

MAVI
MARE
MILANO ITALY



J1171
MARINE

MPI
PREMIUM
MARINE
FUEL SAE J1527

MPI PREMIUM MARINE FUEL SAE J1527